



GREENBLUM & BERNSTEIN, P.L.C.
Intellectual Property Causes
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

JKW

Attorney Docket No. P24512

In re application of: Hirotada HIGASHIHAMA et al.

Application No. : 10/694,880

Mail Stop Amendment

Group Art Unit : 2829

Filed : October 29, 2003

Examiner : Paresh H. Patel

For : ELECTRICAL LEAK DETECTING APPARATUS

Mail Stop Amendment

Commissioner for Patents

U.S. Patent and Trademark Office

220 20th Street S.

Customer Window

Crystal Plaza Two, Lobby, Room 1B03

Arlington, VA 22202

Sir:

Transmitted herewith is a **Response to Restriction Requirement** in the above-captioned application.

☐ Small Entity Status of this application under 37 C.F.R. 1.9 and 1.27 has been established by a previously filed statement.

☐ A verified statement to establish small entity status under 37 C.F.R. 1.9 and 1.27 is enclosed.

☐ A Request for Extension of Time.

☒ No additional fee is required.

The fee has been calculated as shown below:

Claims After Amendment	No. Claims Previously Paid For	Present Extra	Small Entity		Other Than A Small Entity	
			Rate	Fee	Rate	Fee
Total Claims: 11	*20	0	x25=	\$	x 50=	\$0.00
Indep. Claims: 1	**3	0	x100=	\$	x200=	\$0.00
Multiple Dependent Claims Presented			+180=	\$	+360=	\$0.00
Extension Fees for ____ Month(s)				\$		\$0.00
Total:				\$	Total:	\$0.00

* If less than 20, write 20

** If less than 3, write 3

☐ Please charge my Deposit Account No. 19-0089 in the amount of \$ ____.

☐ A check in the amount of \$ ____ to cover the filing/extension fee is included.

☒ The U.S. Patent and Trademark Office is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 19-0089.

☒ Any additional filing fees required under 37 C.F.R. 1.16.

☒ Any patent application processing fees under 37 C.F.R. 1.17, including any required extension of time fees in any concurrent or future reply requiring a petition for extension of time for its timely submission (37 C.F.R. 1.136(a)(3)).

Bruce H. Bernstein
 Bruce H. Bernstein
 Reg. No. 29,027

William Pieprz
 Reg. No. 33,630

P24512.A04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



Applicants : Hirotada HIGASHIHAMA et al.

Group Art Unit: 2829

Appln. No. : 10/694,880

Examiner: Paresh H. Patel

Filed : October 29, 2003

For : ELECTRICAL LEAK DETECTING APPARATUS

RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop _____
Crystal Plaza Two, Lobby, Room 1B03
Arlington VA 22202

Sir:

In response to the Official Action of December 10, 2004, in which a one month period for response was set to expire on January 10, 2005, Applicants hereby elect, with traverse, Species I to which claims 1 and 9 are directed, for the reasons as will be set forth below:

Amendments to the Claims begin on page 2 of this Response.

Remarks begin on page 6 of this Response.